



1 PARTITION PLAN  
A140 1:100

LEGEND- PROPOSED- FLOOR PLAN	
ABC	ANNOTATION ABBREVIATION. REFER KEYNOTES FOR DESCRIPTION
	NEW DOOR MARK. REFER A620 FOR SCHEDULE
	DOOR TYPE. REFER A620
	NEW WINDOW MARK. REFER A621 FOR SCHEDULE
	WINDOW TYPE. REFER TO A621
	WINDOW DIMENSIONS. REFER A621
Room name 150 m2	ROOM TAG, AREA
	MATERIAL KEYNOTE. REFER KEYNOTES LEGEND FOR DESCRIPTION
	WALL TAG. NO IMPACT RESISTANCE UNLESS NOTED AS 'IMP'. REFER A500 WALL TYPE DETAILS FOR EXTENT OF IMPACT RESISTANCE & DETAIL
	EXISTING ELEMENTS
	PROPOSED ELEMENTS
	FIRE COMPARTMENT
PARTITION TYPES	
WT01 Rw40	BOTH SIDES - 1 x 13mm STANDARD PLASTERBOARD STEEL STUD - 92mm INSULATION - 75mm FIBROUS INSULATION WITH DENSITY ≥14KG/M3
WT01A Rw40	INTERNAL SIDE ONLY - 1 x 13mm STANDARD PLASTERBOARD STEEL STUD - 92mm INSULATION - 75mm FIBROUS INSULATION WITH DENSITY ≥14KG/M3
WT02 Rw50	INTERNAL SIDE TO FIRE COMPARTMENT - 2 x 13mm DENSE PLASTERBOARD (FYRCHCK) - EXTERNAL SIDE TO FIRE COMPARTMENT - 1 x 13mm DENSE PLASTERBOARD (FYRCHCK) STEEL STUD - 92mm INSULATION - 75mm FIBROUS INSULATION WITH DENSITY ≥14KG/M3 <b>SLAB TO SLAB CONSTRUCTION</b>
WT03 Rw55	BOTH SIDES - 2 x 13mm DENSE PLASTERBOARD (FYRCHCK) STEEL STUD - 92mm INSULATION - 75mm FIBROUS INSULATION WITH DENSITY ≥14KG/M3 <b>SLAB TO SLAB CONSTRUCTION</b>
WT04 Rw60	BOTH SIDES - 2 x 13mm DENSE PLASTERBOARD (FYRCHCK) STEEL STUD - 2 x 64mm WITH 20mm GAP INSULATION - 1 x 75mm FIBROUS INSULATION WITH DENSITY ≥14KG/M3 <b>SLAB TO SLAB CONSTRUCTION</b>
WT04a Rw60	INTERNAL SIDE ONLY - 2 x 13mm DENSE PLASTERBOARD (FYRCHCK) STEEL STUD - 64mm WITH 20mm GAP TO EXISTING PARTITION INSULATION - 75mm FIBROUS INSULATION WITH DENSITY ≥14KG/M3 <b>SLAB TO SLAB CONSTRUCTION (IF EXISTING WALL STOPS AT CEILING, EXTEND TO SLAB)</b>
WT05	LINING TO EXISTING PARTITION - 2 x 13mm DENSE PLASTERBOARD (FYRCHCK)
WT06	STANDARD PARTITION TO HOST WINDOW. 1x PLASTERBOARD WITH PAINT FINISH TO MATCH ALL WALLS.
NOTES	
REFER TO A170 FINISHES PLAN FOR ACOUSTIC TREATMENT TO PARTITIONS.	

Revision	Date	Description
A	14.12.22	FSP ACOUSTIC INPUT
B	23.12.22	TENDER REVIEW
C	11.01.23	70% TENDER
D	19.01.23	80% TENDER
E	24.01.23	90% TENDER
F	25.01.23	100% TENDER
G	30.01.23	SINK & WALL
H	14.03.23	TENDER AMENDMENTS
1	23.03.23	FOR CONSTRUCTION
2	08.05.23	Door to Wet Lab 1



Client: NATIONAL FILM AND SOUND ARCHIVE OF AUSTRALIA  
Project Title: NFSA REFURBISHMENT  
B.1 S.21 D.ACTON  
20 McCOY CIRCUIT ACTON, ACT 2601

Design Project Manager: KH  
Project Delivery leader: DT  
Quality Manager: DT  
Drawn: CO, JJ, RM

Drawing Title: PARTITION PLAN  
Scale: 1:100  
Project: 1870.06  
Sheet Size: A1  
Drawing: A140  
Revision: 2

**FOR CONSTRUCTION**  
SCALE: 1:100 @ ORIGINAL SCALE  
www.sqgroup.com.au  
All dimensions in millimetres. Do not scale drawing. All dimensions and levels to be verified on site by contractor before commencing work or preparation of shop drawings, where provide, drawings must be read in conjunction with specification and schedules.  
© Copyright